

L Number	Hits	Search Text	DB	Time stamp
1	2	(overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") with (dfr or (fault near2 recording))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:42
2	129	(switch or switches or switching or switched) with (meter or meters or metering or metered) with (fault or faults or dfr)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:22
3	268	(switch or switches or switching or switched) with "between" with (meter or meters or metering or metered or sense or sensing or sensed or senses or measure or measuring or measures or measured or measurement or measurements) with (fault or faults or dfr)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:24
4	13	(switch or switches or switching or switched) with "between" with (meter or meters or metering or metered or sense or sensing or sensed or senses or measure or measuring or measures or measured or measurement or measurements) with (fault or faults or dfr) with (mode or modes)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:24
5	425	(overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") with (switch or switches or switching or switched) with (mode or modes)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:44
6	3	((overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") with (switch or switches or switching or switched) with (mode or modes)) and (meter or meters or metered or metering).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:43
7	4	((overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") with (switch or switches or switching or switched) with (mode or modes)) same (meter or meters or metered or metering)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:44
8	238	(overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") with (switch or switches or switching or switched) adj3 (mode or modes)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:47
9	447	702/57.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:46
10	252	702/58.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:46
11	447	702/60.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:46
12	191	702/61.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:46

13	147	702/62.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:46
14	356	702/64.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:46
15	252	702/65.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:46
16	1134	702/188.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:46
17	1222	324/142.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:46
18	422	361/93.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:47
19	293	361/93.9.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 09:47
20	6	(702/57.ccls. 702/58.ccls. 702/60.ccls. 702/61.ccls. 702/62.ccls. 702/64.ccls. 702/65.ccls. 702/188.ccls. 324/142.ccls. 361/93.1.ccls. 361/93.9.ccls.) and ((overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") with (switch or switches or switching or switched) adj3 (mode or modes))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 12:30
21	448	(702/57.ccls. 702/58.ccls. 702/60.ccls. 702/61.ccls. 702/62.ccls. 702/64.ccls. 702/65.ccls. 702/188.ccls. 324/142.ccls. 361/93.1.ccls. 361/93.9.ccls.) and ((overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") with fault or faults)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:26
23	121	(702/57.ccls. 702/58.ccls. 702/60.ccls. 702/61.ccls. 702/62.ccls. 702/64.ccls. 702/65.ccls. 702/188.ccls. 324/142.ccls. 361/93.1.ccls. 361/93.9.ccls.) and ((overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") with (fault or faults))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:26
24	52	(702/57.ccls. 702/58.ccls. 702/60.ccls. 702/61.ccls. 702/62.ccls. 702/64.ccls. 702/65.ccls. 702/188.ccls. 324/142.ccls. 361/93.1.ccls. 361/93.9.ccls.) and ((detect or detects or detecting or detected or detection or detections) with (overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") with (fault or faults))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:28

25	0	dfr with ((detect or detects or detecting or detected or detection or detections) with (overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") with (fault or faults))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:29
26	0	"digital falut recorder" with ((detect or detects or detecting or detected or detection or detections) with (overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") with (fault or faults))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:29
27	0	"digital fault recorder" with ((detect or detects or detecting or detected or detection or detections) with (overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") with (fault or faults))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:29
28	10	"digital fault recorder" or dfr with (overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:30
29	1	("digital fault recorder" or dfr) with (overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:30
30	428	(overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") adj (fault or faults)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:31
31	0	("digital fault recorder" or dfr) same ((overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") adj (fault or faults))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:31
32	0	("digital fault recorder" or dfr) and ((overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") adj (fault or faults))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:31
33	1	(meter or meters or metering).ti. and ((overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") adj (fault or faults))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:34
34	1	(meter or meters or metering).ab. and ((overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") adj (fault or faults))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:34
35	428	((overcurrent or over-current or "over current" or overcurrents or over-currents or "over currents") adj (fault or faults))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:35
46	294	(702/57.ccls. 702/58.ccls. 702/60.ccls. 702/61.ccls. 702/62.ccls. 702/64.ccls. 702/65.ccls. 702/188.ccls. 324/142.ccls. 361/93.1.ccls. 361/93.9.ccls.) and @pd>=20031008	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 12:44
47	2	("5,734,256").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 12:53

48	4	"fast transient" with surge with protection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 12:54
49	33	"fast transient" with protection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 12:54
50	35	((fast or instantaneous) adj transient) with protection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 12:55
51	4	((fast or instantaneous) adj transient) with protection) same (surge or surges)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 12:56
52	46	common with normal with surge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 12:58
53	11	(common with normal with surge) and (transient or transients) and (move or (metal adj oxide adj varistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 12:59
54	6	(common with normal with surge) and (transient or transients) and (mov or (metal adj oxide adj varistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:01
55	2	(common with normal with surge) and (transient or transients) same (capacitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:05
56	89	(common with surge) and (transient or transients) same (capacitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:02
57	16	(common with normal with surge) and (transient or transients)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 14:13
58	2	("5550460").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:56
59	67	multi-tap adj transformer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:57
60	8	(common-mode with surge) and (transient or transients)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 14:15
61	0	(noraml-mode with surge) and (transient or transients)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 14:14

62	0	(normal-mode with surge) and (transient or transients)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 14:14
63	3	(normal-mode with surge) and (transient or transients)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 14:14
64	21	(common with (surge or surges)) same (normal with (surge or surges)) and (transient or transients)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 14:26
65	61	(common with (surge or surges)) same (normal with (surge or surges))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 14:26
-	7753	(switch or switches or switching or switched) with (overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 16:03
-	914	((switch or switches or switching or switched) with (overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents")) same (transformer or transformers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 16:07
-	578	((switch or switches or switching or switched) with (overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents")) with (transformer or transformers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:48
-	2	("20020193968").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 16:04
-	9	((switch or switches or switching or switched) with (overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents")) same (transformer or transformers) and (power near quality)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 16:13
-	25	((switch or switches or switching or switched) with (overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents")) same (transformer or transformers) and (measure or measures or measured or measuring or measurement or measurements or monitor or monitors or monitored or monitoring or meter or meters or metering or metered).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 16:14
-	310	((switch or switches) with (overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents")) with (transformer or transformers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 16:41
-	2	"power meter".ti. and (overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 17:28

-	9	conkright.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 17:28
-	2432	("current sensor" or "current transformer" or "current transformers" or "current sensors") and (meters or metering or metered or metered)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:35
-	41	("current sensor" or "current transformer" or "current transformers" or "current sensors") and (meters or metering or metered or metered) and ((switch or switches or switching or switched) with (overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:57
-	0	"overcurrent relay" same transformers same switches	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:56
-	3	"over-current relay" same transformers same switches	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:56
-	3	"over current relay" same transformers same switches	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:56
-	1143	"overcurrent relay" or "overcurrent relays" or "over-current relay" or "over-current relays" or "over current relay" or "over current relays"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:58
-	468	("overcurrent relay" or "overcurrent relays" or "over-current relay" or "over-current relays" or "over current relay" or "over current relays").ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:04
-	3	("overcurrent relay" or "overcurrent relays" or "over-current relay" or "over-current relays" or "over current relay" or "over current relays").ti. and (((transformer or transformers) with (phase or phases)) same (switch or switches))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:10
-	9	("overcurrent relay" or "overcurrent relays" or "over-current relay" or "over-current relays" or "over current relay" or "over current relays") same (((transformer or transformers) with (phase or phases)) same (switch or switches))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:20
-	18	("overcurrent relay" or "overcurrent relays" or "over-current relay" or "over-current relays" or "over current relay" or "over current relays").ti. and ((transformer or transformers) with (phase or phases))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:07
-	0	("overcurrent relay" or "overcurrent relays" or "over-current relay" or "over-current relays" or "over current relay" or "over current relays").ti. and (((transformer or transformers) with (phase or phases)) same (switching))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:10

-	1	("overcurrent relay" or "overcurrent relays" or "over-current relay" or "over-current relays" or "over current relay" or "over current relays").ti. and sic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:10
-	115	(overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents") same (((transformer or transformers) with (phase or phases)) same (switch or switches))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:53
-	3	("digital fault recording" or "digital fault recorder" or dfr) and scada	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:43
-	547	scada	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:44
-	588	"field transformer" or "line post sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:44
-	11	("field transformer" or "line post sensor") same (processors or processor or dsp or cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:45
-	14	("field transformer" or "line post sensor") same (processors or processor or dsp or cpu or microprocessor or micro-processor or microprocessors or micro-processors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:46
-	974	"power meter".ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:46
-	34	"power meter".ti. and (harmonic or harmonics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:10
-	0	"power meter".ti. and (harmonic or harmonics) and (overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:47
-	0	"power meter".ab. and (harmonic or harmonics) and (overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:48
-	67	(measure or measures or measured or measuring or measurement or measurements or monitor or monitors or monitored or monitoring or meter or meters or metering or metered).ti. and (harmonic or harmonics) and (overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 11:48

-	25	(US-5818670-\$ or US-3846698-\$ or US-6535369-\$ or US-6356426-\$ or US-6127741-\$ or US-5943204-\$ or US-5498956-\$ or US-5790356-\$ or US-5734256-\$ or US-5514915-\$ or US-5416398-\$ or US-5159519-\$ or US-4819125-\$ or US-4589052-\$ or US-4562506-\$ or US-5839093-\$ or US-6577961-\$ or US-6507794-\$).did. or (US-20020193968-\$ or US-20030011355-\$ or US-20010005118-\$).did. or (JP-03293996-\$).did. or (JP-08019180-\$ or US-5621629-\$ or US-20020193968-\$).did. ((US-5818670-\$ or US-3846698-\$ or US-6535369-\$ or US-6356426-\$ or US-6127741-\$ or US-5943204-\$ or US-5498956-\$ or US-5790356-\$ or US-5734256-\$ or US-5514915-\$ or US-5416398-\$ or US-5159519-\$ or US-4819125-\$ or US-4589052-\$ or US-4562506-\$ or US-5839093-\$ or US-6577961-\$ or US-6507794-\$).did. or (US-20020193968-\$ or US-20030011355-\$ or US-20010005118-\$).did. or (JP-03293996-\$).did. or (JP-08019180-\$ or US-5621629-\$ or US-20020193968-\$).did.) and ((overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents") with (detect or detects or detecting or detected or detection or detections)) ("4,176,386").PN.	USPAT; US-PGPUB; JPO; DERWENT	2003/10/08 13:04
-	10	((US-5818670-\$ or US-3846698-\$ or US-6535369-\$ or US-6356426-\$ or US-6127741-\$ or US-5943204-\$ or US-5498956-\$ or US-5790356-\$ or US-5734256-\$ or US-5514915-\$ or US-5416398-\$ or US-5159519-\$ or US-4819125-\$ or US-4589052-\$ or US-4562506-\$ or US-5839093-\$ or US-6577961-\$ or US-6507794-\$).did. or (US-20020193968-\$ or US-20030011355-\$ or US-20010005118-\$).did. or (JP-03293996-\$).did. or (JP-08019180-\$ or US-5621629-\$ or US-20020193968-\$).did.) and ((overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents") with (detect or detects or detecting or detected or detection or detections)) ("4,176,386").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:06
-	2		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:18
-	144	"58288"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:19
-	9	"058288"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:20
-	0	05-058288	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:20
-	10	US-20020193968-A1.DID. "058288"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:20
-	0	JP0558288	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:21
-	0	"05-58288"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:21
-	5	"0558288"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:22

-	0	"VEHICLE BODY FRAME OF ROLLING STOCK"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:22
-	241	(SAIMA and TORU).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:24
-	2	"05058288"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:28
-	5	"0558288"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:24
-	1	"05582880"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:24
-	0	"05058288 U"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:28
-	1	"05058288 A"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 12:28
-	19	((overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents") with (switch or switches or switched or switching) with (meter or meters or metered or metering))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:14
-	1	1977-C3701Y.NRAN.	DERWENT	2003/10/08 13:12
-	1	1977-C3701Y.NRAN.	DERWENT	2003/10/08 13:13
-	402	((overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents") with (switch or switches or switched or switching) with (mode or modes))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:25
-	93	"overcurrent switching"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:25
-	2	3293996.URPN.	USPAT	2003/10/08 13:48
-	2	("6535369").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:12
-	412	702/60.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:12

-	176	702/61.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:12
-	131	702/62.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:12
-	1048	702/188.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:12
-	1203	324/142.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:12
-	22	324/142.ccls. and (overcurrent or overcurrents or over-current or over-currents or "over current" or "over currents")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:13
-	379	361/93.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:16
-	281	361/93.9.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:40
-	2	("6535369").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:40
-	408	702/57.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 09:42
-	231	702/58.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 09:42
-	333	702/64.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 09:42
-	227	702/65.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 09:43
-	4	((("6535369") or ("5734256"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 09:48
-	2	("6,577,961").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 09:52

-	2	("5734256").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 09:52
-	140	"diode mirror"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 09:52
-	4	("6577961") or ("6535369").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 08:25